


## Declaration of Compliance

|   |   |
|---|---|
| <b>Business Operator</b>                  | Vikan A/S<br>Rævevej 1<br>DK-7800 Skive<br>(+45) 96 14 26 00  |
| <b>Product name on web</b>                | Broom, Angle Cut, 290 mm, Very hard, Black  |
| Item Number                               | 29149   |
|   |    |
| Plastic Material                          | Polypropylene, 97 %   |
| Colour masterbatch                        | Black, 2 %  |
| Foaming agent                             | Chemical foaming agent, 1 %   |
| Bristles                                  | Polyethylene terephthalate (PET)  |
| Stainless steel                           | The stainless steel staple is made from stainless steel Grade 1.4301 (AISI 304)   |
| (EU) 2024/3190                            | The product has been manufactured and assessed in compliance with the criteria established by Regulation (EU) 2024/3190.  |
| <b>US FDA Compliance</b>                  | <p>All raw materials in this product are in compliance with FDA (Food and Drug Administration in the USA) 21 CFR parts 170 to 199.</p> <p>The polymers and additives complies with FDA 21 CFR part 174, 175, 176, 177, 178, 181, 182, 184, or 186. Additives are cleared according to FDA 21 CFR Part 178 (Indirect food additives), are generally recognised as safe (GRAS), are prior-sanctioned food ingredients, or are cleared on basis of regulations for food additives of before 1958.</p> <p>The polypropylene complies with FDA 21 CFR 177.1520 "olefin polymers".</p> <p>The PET bristles comply with FDA 21 CFR 177.1630 „Polyethylene phthalate polymers“.</p> <p>The pigments in the masterbatch are listed under FDA 21 CFR 178.3297 „Colorants for Polymers“.</p> |
| <b>Non-food contact usage temperature</b> | <p>Minimum temperature: -20 °C</p> <p>Maximum temperature: 100 °C</p>   |

**General**

Equipment should be cleaned, disinfected and sterilised, as appropriate to its intended use, before use.

It is also important to clean, disinfect and sterilise equipment as appropriate after use, using the appropriate decontamination chemicals, concentrations, times and temperatures.

Appropriate equipment decontamination will minimise the risk of microbial growth and cross contamination and will maximise the efficiency and durability of the equipment.

Recommended sterilisation temperature (Autoclave): 121 °C

The product is suitable for repeated use under the conditions specified in this Declaration of Compliance. Reuse does not affect the product's compliance with applicable food contact regulations, provided it remains intact, undamaged, and is cleaned appropriately between uses.

We will make the relevant background documentation available to the competent authorities, at their request.

Vikan A/S is registered with the Danish Veterinary and Food Administration (DVFA), and our mandatory Own Control System is subject to inspection by the DVFA.

**Date**

3/18/2026

**Made By**

Marta Sztuka  
Materials and Compliance Specialist