

Aluminum Handle

Ø1", 49.6", Brown



Item Number: 295866

This aluminum handle with color-coded polypropylene grip can be used with any product in the Vikan range.

General Information

Connection	Euro Threaded
Color	Brown
Material	Anodised Aluminium, Polypropylene
UNSPSC Code	47131609
Country of Origin	Denmark

Product Dimensions

Product diameter	1 "
Product Length/Depth	49.6 "
Product Width	1 "
Product Height	1 "
Net Weight	0.6614 lbs

Packaging & Shipping Details

Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x approx.180 cm)	500 Pcs.
Quantity Per Layer (Pallet)	50 Pcs.
Box Length/Depth	0 "
Box Width	0 "
Box Height	0 "
Plastic Packaging (Recycling Symbol "4") LDPE per Pcs.	0.01 lbs
Total Tare Weight	0.01 lbs
Gross Weight	0.6724 lbs
Cubic Feet	0.0278 ft3
GTIN-13 Number	5705022049635
GTIN-14 Number (Box quantity)	15705028049643
Customs Tariff Number	76169990

Compliance & Standard Details

Item Number: 295866

Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA Regulation CFR 21 ¹	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Meets the REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
Complies with Halal and Kosher	Yes
PFAS intentionally added	No

Technical Data

Handle Length	45,31 - 51,18 "
---------------	-----------------

Usage Limits

Recommended sterilisation temperature (Autoclave)	212 °F
Max usage temperature (food contact)	212 °F
Max usage temperature (non food contact)	212 °F
Min. usage temperature	-4 °F
Max. drying temperature	212 °F
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	8 pH

Sustainability Details

Recycling Symbol "7", Miscellaneous Plastics	No
--	----

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.
3. Do not store the product below 32 °Fahrenheit.

