

297352Q



Aluminium Telescopic
Handle waterfed, w/Q
Coupling (Q), 1600 - 2780
mm, Ø32 mm, Black



This professional telescopic water-fed handle has an insulated sleeve for a

comfortable grip and a quick-release hose connector. Maximum water pressure, 6 bars.

Technical Data

Item Number	297352Q
Connection	Threaded
Material	Anodised Aluminium Polypropylene Chromium-plated brass
Complies with REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	No
Complies with Halal and Kosher	Yes
PFAS intentionally added	No
Box Quantity	5 Pcs.
Quantity per Pallet (80 x 120 x approx.180 cm)	200 Pcs
Quantity Per Layer (Pallet)	25 Pcs.
Box Length/Depth	1650 mm
Box Width	140 mm
Box Height	85 mm
Product Diameter	32 mm
Product Length/Depth	1600 mm
Product Width	32 mm
Product Height	31 mm
Max. Length	2780 mm
Net Weight	1.02 kg
Weight cardboard (Recycling symbol "20" PAP)	0.082 kg
Total Tare Weight	0.082 kg
Gross Weight	1.1 kg
Cubic metre	0.001587 M3
Max. bars pressure	6 Bar
Max usage temperature (non food contact)	50 °C
Min. pH-value in usage concentration	4 pH
Max. pH-value in Usage Concentration	11 pH
GTIN-13 Number	5705022973022
GTIN-14 Number (Box quantity)	15705022973029
Customs Tariff Number	76169990
Country of Origin ISO Code	DK
Country of Origin	Denmark