

29752

Aluminum Telescopic
handle, 1575 - 2780 mm,
Ø32 mm, Green



This telescopic handle can be easily adjusted to the required length, making it ideal for cleaning walls and canopies. Its ergonomic design and comfortable grip improve user comfort. Can be used with any product in the Vikan range. Do not use with acid or chlorine.

Technical Data

Item Number	29752
Connection	Threaded
Material	Anodised Aluminium Polypropylene
Complies with (EC) 1935/2004 on food contact materials ¹	No
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA Regulation CFR 21 ¹	Yes
Complies with UK 2019 No. 704 on food contact materials	No
Complies with REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
Complies with Halal and Kosher	Yes
PFAS intentionally added	No
Box Quantity	5 Pcs.
Quantity per Pallet (80 x 120 x approx.180 cm)	500 Pcs.
Quantity Per Layer (Pallet)	25 Pcs.
Box Length/Depth	1650 mm
Box Width	140 mm
Box Height	85 mm
Product Diameter	32 mm
Product Length/Depth	1575 mm
Product Width	32 mm
Product Height	32 mm
Max. Length	2780 mm
Net Weight	0.95 kg
Weight cardboard (Recycling symbol "20" PAP)	0.06 kg
Total Tare Weight	0.06 kg
Gross Weight	1.01 kg
Cubic metre	0.001613 M3
Recommended sterilisation temperature (Autoclave)	121 °C
Max. cleaning temperature (Dishwasher)	93 °C
Max. usage temperature (food contact)	80 °C
Max usage temperature (non food contact)	80 °C
Min. usage temperature ³	-20 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	8 pH
GTIN-13 Number	5705020297526
GTIN-14 Number (Box quantity)	15705020297523

Customs Tariff Number	76169990
UNSPSC Code	47131609
Country of Origin ISO Code	DK
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.