

41943

# Washing Brush with short handle, 10.6", Soft/split, Blue



With an ergonomic short handle and split fiber bristles that retain water and chemicals to improve cleaning efficacy, this Washing Brush is perfect for cleaning fragile surfaces such as glass and Perspex.

# Technical Data

Item Number	41943
Bristle stiffness	Soft/split
Visible bristle length	1.6 "
Material	Polypropylene Stainless Steel (AISI 304) Polyester (PBT)
Complies with FDA Regulation CFR 21 <sup>1</sup>	Yes
Complies with the European Brushware Federation (FEIBP) Charter	No
Meets the REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
Complies with Halal and Kosher	Yes
PFAS intentionally added	No
Design Registration No.	EU 002025700-0001-3, GB 20257000001-3
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x approx.180 cm)	800 Pcs.
Quantity Per Layer (Pallet)	80 Pcs.
Box Length/Depth	15 "
Box Width	11.4 "
Box Height	5.3 "
Product Length/Depth	10.6 "
Product Width	2.8 "
Product Height	3.3 "
Net Weight	0.5071 lbs
Weight bag (Recycling Symbol "4") LDPE	0.01 lbs
Weight cardboard (Recycling symbol "20" PAP)	0.14 lbs
Total Tare Weight	0.16 lbs
Gross Weight	0.6627 lbs
Cubic Feet	0.0568 ft <sup>3</sup>
Max. cleaning temperature (Dishwasher)	199.4 °F
Max usage temperature (food contact)	176 °F
Max usage temperature (non food contact)	212 °F
Min. usage temperature	-4 °F
Max. drying temperature	212 °F
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020419430

<b>GTIN-14 Number (Box quantity)</b>	15705020419437
<b>Customs Tariff Number</b>	96039099
<b>UNSPSC Code</b>	47131605
<b>Country of Origin ISO Code</b>	DK
<b>Country of Origin</b>	Denmark

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact
3. Do not store the product below 32 °Fahrenheit.