

41984

## Washing Brush with short handle, 10.6", Soft, Red



With an ergonomic short handle and very soft bristles that retain water and chemicals to improve cleaning efficacy, this Washing Brush is perfect for cleaning fragile surfaces such as glass and Perspex. It is also suitable for coating of e.g. cheese with wax.

# Technical Data

|                                                                         |                                                          |
|-------------------------------------------------------------------------|----------------------------------------------------------|
| Item Number                                                             | 41984                                                    |
| Bristle stiffness                                                       | Soft                                                     |
| Visible bristle length                                                  | 1.8 "                                                    |
| Material                                                                | Polypropylene Polyester (PBT) Stainless Steel (AISI 304) |
| Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>     | Yes                                                      |
| Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice | Yes                                                      |
| Complies with FDA Regulation CFR 21 <sup>1</sup>                        | Yes                                                      |
| Complies with UK 2019 No. 704 on food contact materials                 | Yes                                                      |
| Meets the REACH Regulation (EC) No. 1907/2006                           | Yes                                                      |
| Complies with California Proposition 65                                 | Yes                                                      |
| Complies with Halal and Kosher                                          | Yes                                                      |
| PFAS intentionally added                                                | No                                                       |
| Design Registration No.                                                 | EU 002025700-0001-3,<br>GB 20257000001-3                 |
| Box Quantity                                                            | 10 Pcs.                                                  |
| Quantity per Pallet (80 x 120 x approx.180 cm)                          | 720 Pcs.                                                 |
| Quantity Per Layer (Pallet)                                             | 60 Pcs.                                                  |
| Box Length/Depth                                                        | 17.3 "                                                   |
| Box Width                                                               | 9.8 "                                                    |
| Box Height                                                              | 3.8 "                                                    |
| Product Length/Depth                                                    | 10.6 "                                                   |
| Product Width                                                           | 2.8 "                                                    |
| Product Height                                                          | 3.5 "                                                    |
| Net Weight                                                              | 0.4938 lbs                                               |
| Plastic Packaging (Recycling Symbol "4") LDPE                           | 0.01 lbs                                                 |
| Cardboard Packaging (Recycling symbol "20" PAP)                         | 0.14 lbs                                                 |
| Total Tare Weight                                                       | 0.16 lbs                                                 |
| Gross Weight                                                            | 0.6495 lbs                                               |
| Cubic Feet                                                              | 0.0601 ft3                                               |
| Recommended sterilisation temperature (Autoclave)                       | 249.8 °F                                                 |
| Max. cleaning temperature (Dishwasher)                                  | 199.4 °F                                                 |
| Max usage temperature (food contact)                                    | 176 °F                                                   |
| Max usage temperature (non food contact)                                | 212 °F                                                   |
| Min. usage temperature                                                  | -4 °F                                                    |
| Max. drying temperature                                                 | 212 °F                                                   |

|                                             |                |
|---------------------------------------------|----------------|
| <b>Min. pH-value in usage concentration</b> | 2 pH           |
| <b>Max. pH-value in Usage Concentration</b> | 10.5 pH        |
| <b>GTIN-13 Number</b>                       | 5705022030718  |
| <b>GTIN-14 Number (Box quantity)</b>        | 15705028030764 |
| <b>Customs Tariff Number</b>                | 96039099       |
| <b>UNSPSC Code</b>                          | 47131605       |
| <b>Country of Origin ISO Code</b>           | DK             |
| <b>Country of Origin</b>                    | Denmark        |

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact
3. Do not store the product below 32 °Fahrenheit.