

42885

Brush with heat resistant filaments, 11.4", Stiff, White



Designed for removing debris from heat sealers and other packing equipment, this Brush is ideal for cleaning hot grills and frying pans.

Technical Data

Item Number	42885
Bristle stiffness	Stiff
Visible bristle length	0.9 "
Material	Polypropylene Polyphenylene Sulfide (PPS) Stainless Steel (AISI 304L)
Complies with (EC) 1935/2004 on food contact materials¹	Yes
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA Regulation CFR 21¹	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Meets the REACH Regulation (EC) No. 1907/2006	Yes
Complies with Halal and Kosher	Yes
PFAS intentionally added	No
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x approx.180 cm)	960 Pcs.
Quantity Per Layer (Pallet)	160 Pcs.
Box Length/Depth	13 "
Box Width	7.1 "
Box Height	3.3 "
Product Length/Depth	11.4 "
Product Width	1.2 "
Product Height	2.6 "
Net Weight	0.1102 lbs
Weight bag (Recycling Symbol "4") LDPE	0.01 lbs
Weight cardboard (Recycling symbol "20" PAP)	0.04 lbs
Total Tare Weight	0.05 lbs
Gross Weight	0.1612 lbs
Cubic Feet	0.02 ft ³
Recommended sterilisation temperature (Autoclave)	249.8 °F
Max. cleaning temperature (Dishwasher)	199.4 °F
Max usage temperature (food contact)	212 °F
Max usage temperature (non food contact)	347 °F
Min. usage temperature	-4 °F
Max. drying temperature	212 °F
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH

GTIN-13 Number	5705020428852
GTIN-14 Number (Box quantity)	15705020428859
Customs Tariff Number	96039099
UNSPSC Code	47131605
Country of Origin ISO Code	DK
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.