

53525

Flexible handle, Nylon,
Ø0.2", 59.3", White



This flexible Nylon Handle makes it easy to clean inside long curved feeder pipes. Can be used with 5354x, 5356x, 5365x, 5368x and 5391x tube cleaners.

Technical Data

Item Number	53525
Material	Polypropylene Stainless Steel (AISI 303Cu) POM
Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA Regulation CFR 21 ¹	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Meets the REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	No
Complies with Halal and Kosher	Yes
PFAS, Phthalates and BPA intentionally added	No
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x approx.180 cm)	400 Pcs.
Quantity Per Layer (Pallet)	40 Pcs.
Box Length/Depth	63.4 "
Box Width	6.3 "
Box Height	2.8 "
Product diameter	0.2 "
Product Length/Depth	59.3 "
Product Width	0.2 "
Product Height	0.2 "
Net Weight	0.1764 lbs
Weight cardboard (Recycling symbol "20" PAP)	0.09 lbs
Total Tare Weight	0.09 lbs
Gross Weight	0.2646 lbs
Cubic Feet	0.0019 ft3
Recommended sterilisation temperature (Autoclave)	249.8 °F
Max. cleaning temperature (Dishwasher)	199.4 °F
Max usage temperature (food contact)	212 °F
Max usage temperature (non food contact)	212 °F
Min. usage temperature	-4 °F
Max. drying temperature	212 °F
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020053528
GTIN-14 Number (Box quantity)	15705020053525

Customs Tariff Number	39241000
Country of Origin ISO Code	DK
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact
3. Do not store the product below 32 °Fahrenheit.