

53544



Tube Brush for Flexible Handle, 0.5", 7.9", Medium, Red



This versatile Tube Brush is designed for cleaning pipes found in dairies, breweries and the fishing industry. Can be used with Vikan flexible handles 53515 and 53525.

Technical Data

Item Number	53544
Bristle stiffness	Medium
Visible bristle length	0.2 "
Material	Polyester (PBT) Stainless Steel (AISI 303Cu) Stainless Steel (AISI 304Cu)
Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA Regulation CFR 21 ¹	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Meets the REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
Complies with Halal and Kosher	Yes
PFAS intentionally added	No
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x approx.180 cm)	3960 Pcs.
Quantity Per Layer (Pallet)	220 Pcs.
Box Length/Depth	11 "
Box Width	4.9 "
Box Height	3.1 "
Product diameter	0.5 "
Product Length/Depth	7.9 "
Product Width	0.5 "
Product Height	0.5 "
Net Weight	0.0441 lbs
Weight bag (Recycling Symbol "4") LDPE	0.01 lbs
Weight cardboard (Recycling symbol "20" PAP)	0.02 lbs
Total Tare Weight	0.02 lbs
Gross Weight	0.0677 lbs
Cubic Feet	0.001 ft3
Recommended sterilisation temperature (Autoclave)	249.8 °F
Max. cleaning temperature (Dishwasher)	199.4 °F
Max usage temperature (food contact)	176 °F
Max usage temperature (non food contact)	212 °F
Min. usage temperature	-4 °F
Max. drying temperature	212 °F

Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020535444
GTIN-14 Number (Box quantity)	15705020535441
Customs Tariff Number	96039099
UNSPSC Code	27113002
Country of Origin ISO Code	DK
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact
3. Do not store the product below 32 °Fahrenheit.