

Tube Brush

1.6", 19.7", Stiff, Purple



Item Number: 53788



Effectively clean bottles, tubes and hard-to-reach surfaces such as gaps and crevices on machinery and conveyor belts with this handy Tube Brush.

General Information

Bristle stiffness	Stiff
Color	Purple
Material	Polypropylene, Polyester (PBT), Stainless Steel (AISI 304Cu)
UNSPSC Code	27113002
Country of Origin	Denmark

Product Dimensions

Visible bristle length	0.7 "
Product diameter	1.6 "
Product Length/Depth	19.7 "
Product Width	1.6 "
Product Height	1.6 "
Net Weight	0.1984 lbs

Packaging & Shipping Details

Box Quantity	15 Pcs.
Quantity per Pallet (80 x 120 x approx.180 cm)	1260 Pcs.
Quantity Per Layer (Pallet)	60 Pcs.
Box Length/Depth	20.9 "
Box Width	9.1 "
Box Height	5.9 "
Plastic Packaging (Recycling Symbol "4") LDPE per Pcs.	0.02 lbs
Cardboard Packaging (Recycling symbol "20" PAP) per Pcs.	0.03 lbs
Total Tare Weight	0.05 lbs
Gross Weight	0.2491 lbs
Cubic Feet	0.0283 ft3
GTIN-13 Number	5705020537882
GTIN-14 Number (Box quantity)	15705020537889
Customs Tariff Number	96039099



Item Number: 53788

Compliance & Standard Details

Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA Regulation CFR 21 ¹	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Meets the REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
Complies with Halal and Kosher	Yes
PFAS intentionally added	No

Technical Data

Handle/Grip Length	5.12 "
--------------------	--------

Usage Limits

Recommended sterilisation temperature (Autoclave)	249.8 °F
Max. cleaning temperature (Dishwasher)	199.4 °F
Max usage temperature (food contact)	176 °F
Max usage temperature (non food contact)	176 °F
Min. usage temperature	-4 °F
Max. drying temperature	212 °F
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH

Design & Patent Registration Details

Design Registration No.	EU 002175075-1-2, GB 90021750750001-0002
-------------------------	--

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact

