

56685

Hand Scoop, Metal Detectable, 1 Litre, White



This ergonomically designed metal-detectable Hand Scoop is lightweight and durable. A one-piece construction prevents bacterial contamination, and a smooth surface allows for easy cleaning. Ideal for moving ingredients in food production areas. Metal detection can be tested using Vikan test kit (11113).

Technical Data

Item Number	56685
Content	1 Litre
Material	Polypropylene Metal & X-Ray detectable additive
Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA Regulation CFR 21 ¹	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
Complies with Halal and Kosher	Yes
PFAS intentionally added	No
Box Quantity	12 Pcs.
Quantity per Pallet (80 x 120 x approx.180 cm)	576 Pcs.
Quantity Per Layer (Pallet)	48 Pcs.
Box Length/Depth	450 mm
Box Width	355 mm
Box Height	215 mm
Product Width	350 mm
Product Height	100 mm
Max. Length	110 mm
Net Weight	0.2 kg
Cardboard Packaging (Recycling symbol "20" PAP)	0.027 kg
Total Tare Weight	0.027 kg
Gross Weight	0.23 kg
Recommended sterilisation temperature (Autoclave)	121 °C
Max. cleaning temperature (Dishwasher)	93 °C
Max. usage temperature (food contact)	100 °C
Max usage temperature (non food contact)	100 °C
Min. usage temperature ³	-20 °C
Max. drying temperature	120 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
Metal Detectable	Yes
GTIN-13 Number	5705022032255
GTIN-14 Number (Box quantity)	15705028032263

Customs Tariff Number	39241000
Country of Origin ISO Code	DK
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact
3. Do not store the product below 0° Celsius.