

57002

# HyGo Mobile Cleaning Station, Green



Vikan's HyGo is the food and beverage industry's first mobile cleaning station to combine hygiene, efficiency, and maneuverability in a purpose-built solution. Beyond elevating cleaning efforts, HyGo also conquers space challenges, lost equipment, and wasted time. HyGo easily navigates tight spaces like doorways with its narrow frame and 360-degree wheels.

The tool modules and brackets can be customised and can adapt as your needs change. As standard, the tool brackets can mount up to five tools. With additional brackets purchased and added to it, the HyGo can hold up to 12 mounted tools. The two rear castors can be locked. The upper tray can carry up to 26 lbs. and the lower tray can carry up to 44 lbs. HyGo can be disassembled, and the individual parts can be dry cleaned or wet cleaned.

# Technical Data

Item Number	57002
Castor Diameter	4,9 "
Assembled/Unassembled	Unassembled
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
Material	Polypropylene Stainless Steel (AISI 301) Stainless Steel (AISI 304) Brass TPE Rubber Polyamide
Complies with FDA Regulation CFR 21 <sup>1</sup>	No <sup>2</sup>
Meets the REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
PFAS intentionally added	No
Design Registration No.	DM/235083, AU202410933, US29/929201
Box Quantity	1 Pcs.
Quantity per Pallet (80 x 120 x approx.180 cm)	11 Pcs.
Quantity Per Layer (Pallet)	1 Pcs.
Box Length/Depth	28.3 "
Box Width	28.3 "
Box Height	7.9 "
Product Length/Depth	30.7 "
Product Width	20.9 "
Product Height	40.6 "
Net Weight	23.3686 lbs
Plastic Packaging (Recycling Symbol "4") LDPE	0.04 lbs
Cardboard Packaging (Recycling symbol "20" PAP)	5.18 lbs
Total Tare Weight	5.22 lbs
Gross Weight	28.5935 lbs
Cubic Feet	15.046 ft <sup>3</sup>
The Products Weight Capacity	70.5 lbs
Max. cleaning temperature (Dishwasher)	199.4 °F
Max usage temperature (non food contact)	176 °F
Min. usage temperature	32 °F
GTIN-13 Number	5705022044296
Customs Tariff Number	87168000
UNSPSC Code	47121501

1. See Declaration of Compliance for further details on food contact
3. Do not store the product below 32 °Fahrenheit.
2. Partially made with food contact materials, see Declaration of Compliance.

We recommend that you retighten the bolts on trays and wheels every 6 months to ensure good HyGo stability.