

Crevice Scrub

8.9", Extra stiff, Yellow



Item Number: 70406

Effectively clean beneath and between machines and equipment with an angle-adjustable Crevice Scrub that can even be used with the handle parallel to the floor. The arrow-shaped filaments reach into small cracks and crevices, while a middle row of stiff filaments provides high scrubbing efficacy.

General Information

Bristle stiffness	Extra stiff
Connection	Euro Threaded
Color	Yellow
Material	Polypropylene, Polyester (PBT), Stainless Steel (AISI 304)
UNSPSC Code	47131605
Country of Origin	Denmark

Product Dimensions

Visible bristle length	1.6 "
Product Length/Depth	8.9 "
Product Width	1.4 "
Product Height	3.5 "
Net Weight	0.485 lbs

Packaging & Shipping Details

Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x approx.180 cm)	1000 Pcs.
Quantity Per Layer (Pallet)	100 Pcs.
Box Length/Depth	12.6 "
Box Width	9.1 "
Box Height	6.3 "
Plastic Packaging (Recycling Symbol "4") LDPE per Pcs.	0.01 lbs
Cardboard Packaging (Recycling symbol "20" PAP) per Pcs.	0.04 lbs
Total Tare Weight	0.06 lbs
Gross Weight	0.5414 lbs
Cubic Feet	0.0251 ft3
GTIN-13 Number	5705022001411
GTIN-14 Number (Box quantity)	15705028001450
Customs Tariff Number	96039099



Item Number: 70406

Compliance & Standard Details

Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA Regulation CFR 21 ¹	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Meets the REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
Complies with Halal and Kosher	Yes
PFAS intentionally added	No

Technical Data

Pallet Height	179 cm
---------------	--------

Usage Limits

Recommended sterilisation temperature (Autoclave)	249.8 °F
Max. cleaning temperature (Dishwasher)	199.4 °F
Max usage temperature (food contact)	212 °F
Max usage temperature (non food contact)	212 °F
Min. usage temperature	-4 °F
Max. drying temperature	212 °F
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH

Design & Patent Registration Details

Design Registration No.	EU 003168616-0001, US D786565
-------------------------	-------------------------------

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact

3. Do not store the product below 32 °Fahrenheit.

