

70409

# Crevice Scrub, 8.9", Extra stiff, Black



Effectively clean beneath and between machines and equipment with an angle-adjustable Crevice Scrub that can even be used with the handle parallel to the floor. The arrow-shaped filaments reach into small cracks and crevices, while a middle row of stiff filaments provides high scrubbing efficacy.

# Technical Data

<b>Item Number</b>	70409
<b>Bristle stiffness</b>	Extra stiff
<b>Visible bristle length</b>	1.6 "
<b>Connection</b>	Threaded
<b>Material</b>	Polypropylene Polyester (PBT) Stainless Steel (AISI 304)
<b>Complies with (EC) 1935/2004 on food contact materials<sup>1</sup></b>	Yes
<b>Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice</b>	Yes
<b>Complies with FDA Regulation CFR 21<sup>1</sup></b>	Yes
<b>Complies with UK 2019 No. 704 on food contact materials</b>	Yes
<b>Meets the REACH Regulation (EC) No. 1907/2006</b>	Yes
<b>Complies with California Proposition 65</b>	Yes
<b>Complies with Halal and Kosher</b>	Yes
<b>PFAS intentionally added</b>	No
<b>Design Registration No.</b>	EU 003168616-0001, US D786565
<b>Box Quantity</b>	10 Pcs.
<b>Quantity per Pallet (80 x 120 x approx.180 cm)</b>	1000 Pcs.
<b>Quantity Per Layer (Pallet)</b>	100 Pcs.
<b>Pallet Height</b>	179 cm
<b>Box Length/Depth</b>	12.6 "
<b>Box Width</b>	9.1 "
<b>Box Height</b>	6.3 "
<b>Product Length/Depth</b>	8.9 "
<b>Product Width</b>	1.4 "
<b>Product Height</b>	3.5 "
<b>Net Weight</b>	0.485 lbs
<b>Plastic Packaging (Recycling Symbol "4") LDPE</b>	0.01 lbs
<b>Cardboard Packaging (Recycling symbol "20" PAP)</b>	0.04 lbs
<b>Total Tare Weight</b>	0.06 lbs
<b>Gross Weight</b>	0.5414 lbs
<b>Cubic Feet</b>	0.0251 ft <sup>3</sup>
<b>Recommended sterilisation temperature (Autoclave)</b>	249.8 °F
<b>Max. cleaning temperature (Dishwasher)</b>	199.4 °F
<b>Max usage temperature (food contact)</b>	212 °F
<b>Max usage temperature (non food contact)</b>	212 °F

<b>Min. usage temperature</b>	-4 °F
<b>Max. drying temperature</b>	212 °F
<b>Min. pH-value in usage concentration</b>	2 pH
<b>Max. pH-value in Usage Concentration</b>	10.5 pH
<b>GTIN-13 Number</b>	5705022046115
<b>GTIN-14 Number (Box quantity)</b>	15705028046123
<b>Customs Tariff Number</b>	96039099
<b>UNSPSC Code</b>	47131605
<b>Country of Origin ISO Code</b>	DK
<b>Country of Origin</b>	Denmark

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact
3. Do not store the product below 32 °Fahrenheit.