

Compact Wall/Deck Scrub

8.9" Stiff, Yellow



Item Number: 70426



Clean around equipment and against walls and comply with HACCP principles with this colour-coded Deck/Wall Scrub. Features angled bristles around the perimeter and a rounded, compact design for improved durability.

General Information

Bristle stiffness	Stiff
Connection	Euro Threaded
Color	Yellow
Material	Polyester (PBT), Polypropylene, Stainless Steel (AISI 304)
UNSPSC Code	47131605
Country of Origin	Denmark

Product Dimensions

Visible bristle length	1.7 "
Product Length/Depth	8.9 "
Product Width	3 "
Product Height	4.5 "
Net Weight	0.7275 lbs

Packaging & Shipping Details

Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x approx.180 cm)	640 Pcs.
Quantity Per Layer (Pallet)	80 Pcs.
Box Length/Depth	15 "
Box Width	11.4 "
Box Height	6.9 "
Plastic Packaging (Recycling Symbol "4") LDPE per Pcs.	0.02 lbs
Cardboard Packaging (Recycling symbol "20" PAP) per Pcs.	0.03 lbs
Total Tare Weight	0.04 lbs
Gross Weight	0.7716 lbs
Cubic Feet	0.0686 ft3
GTIN-13 Number	5705022021471
GTIN-14 Number (Box quantity)	15705028021489
Customs Tariff Number	96039099



Item Number: 70426

Compliance & Standard Details

Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA Regulation CFR 21 ¹	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Meets the REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
Complies with Halal and Kosher	Yes
PFAS intentionally added	No

Usage Limits

Recommended sterilisation temperature (Autoclave)	249.8 °F
Max. cleaning temperature (Dishwasher)	199.4 °F
Max usage temperature (food contact)	176 °F
Max usage temperature (non food contact)	212 °F
Min. usage temperature	-4 °F
Max. drying temperature	212 °F
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH

Design & Patent Registration Details

Design Registration No.	EU 008554125-0005, UK 6139375
-------------------------	-------------------------------

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact

3. Do not store the product below 32 °Fahrenheit.

