

714066

# Ultra Hygiene Squeegee, 400 mm, Brown



This ultra-hygienic squeegee combines ultimate hygiene with effective water removal from walls, floors and tables. The angled blade makes it easy to remove water from corners and other difficult-to-reach areas, and the splash guard ensures that liquid does not spill onto the dried surface.

# Technical Data

|                                                                         |                                       |
|-------------------------------------------------------------------------|---------------------------------------|
| Item Number                                                             | 714066                                |
| Connection                                                              | Threaded                              |
| Material                                                                | Polypropylene TPE Rubber              |
| Recycling Symbol "7", Miscellaneous Plastics                            | Yes                                   |
| Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>     | Yes                                   |
| Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice | Yes                                   |
| Complies with FDA Regulation CFR 21 <sup>1</sup>                        | Yes                                   |
| Complies with UK 2019 No. 704 on food contact materials                 | Yes                                   |
| Complies with REACH Regulation (EC) No. 1907/2006                       | Yes                                   |
| Complies with California Proposition 65                                 | Yes                                   |
| Complies with Halal and Kosher                                          | Yes                                   |
| PFAS intentionally added                                                | No                                    |
| Design Registration No.                                                 | EU 002364190-1-8, GB 90023641900001-8 |
| Box Quantity                                                            | 15 Pcs.                               |
| Quantity per Pallet (80 x 120 x approx.180 cm)                          | 720 Pcs                               |
| Quantity Per Layer (Pallet)                                             | 90 Pcs.                               |
| Box Length/Depth                                                        | 410 mm                                |
| Box Width                                                               | 305 mm                                |
| Box Height                                                              | 210 mm                                |
| Product Length/Depth                                                    | 400 mm                                |
| Product Width                                                           | 80 mm                                 |
| Product Height                                                          | 90 mm                                 |
| Net Weight                                                              | 0.25 kg                               |
| Weight bag (Recycling Symbol "4")                                       | 0.0063 kg                             |
| Weight cardboard (Recycling symbol "20" PAP)                            | 0.0137 kg                             |
| Total Tare Weight                                                       | 0.02 kg                               |
| Gross Weight                                                            | 0.27 kg                               |
| Cubic metre                                                             | 0.00288 M3                            |
| Recommended sterilisation temperature (Autoclave)                       | 121 °C                                |
| Max. cleaning temperature (Dishwasher)                                  | 93 °C                                 |
| Max usage temperature (food contact)                                    | 50 °C                                 |
| Max usage temperature (non food contact)                                | 100 °C                                |
| Min. usage temperature <sup>3</sup>                                     | -20 °C                                |
| Max. drying temperature                                                 | 120 °C                                |
| Min. pH-value in usage concentration                                    | 2 pH                                  |

|                                             |                |
|---------------------------------------------|----------------|
| <b>Max. pH-value in Usage Concentration</b> | 10.5 pH        |
| <b>GTIN-13 Number</b>                       | 5705022014756  |
| <b>GTIN-14 Number (Box quantity)</b>        | 15705028014788 |
| <b>Customs Tariff Number</b>                | 96039099       |
| <b>UNSPSC Code</b>                          | 47121812       |
| <b>Country of Origin ISO Code</b>           | DK             |
| <b>Country of Origin</b>                    | Denmark        |

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact
3. Do not store the product below 0° Celsius.