

77109

## Squeegee, Angle Adjustable for 5662x, 5665x and 5666x, 10.2", Black



A squeegee is an excellent choice for moving liquids like water, yogurt, coffee, and more. When combined with the upright dustpan set (5662x) or the closable dustpan set (5665x), our Angle Adjustable Squeegee can be one of the most efficient tools in your facility when it comes to wet cleaning.

Part of its efficiency comes from the soft blade and the angle-adjustable head that follow the curves of the surface. The soft blade makes moving water into the dustpan or onto the lip of a dustpan easier. The adjustable head makes the squeegee more ergonomically friendly and reduces unnecessary strain on the wrist during use.

The Angle Adjustable Squeegee makes use of material that would otherwise go to waste from our manufacturing process. Because of this, the squeegee only comes

in grey/black, though it will fit any Vikan handle.

# Technical Data

|  |  |
|--|--|
| <b>Item Number</b>   | 77109  |
| <b>Connection</b>  | Threaded   |
| <b>Material</b>  | Cellular rubber (oil resistant) Polypropylene (regenerated material) |
| <b>Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice</b> | Yes  |
| <b>Meets the REACH Regulation (EC) No. 1907/2006</b>                           | Yes  |
| <b>Complies with Halal and Kosher</b>  | Yes  |
| <b>PFAS intentionally added</b>  | No   |
| <b>Recycled Material Content</b>   | Yes  |
| <b>Recycled Material Content, Percentage</b>                                   | 68 %   |
| <b>Box Quantity</b>  | 5 Pcs.   |
| <b>Quantity per Pallet (80 x 120 x approx.180 cm)</b>                          | 1200 Pcs.  |
| <b>Quantity Per Layer (Pallet)</b>   | 60 Pcs.  |
| <b>Box Length/Depth</b>  | 12.8 "   |
| <b>Box Width</b>   | 6.7 "  |
| <b>Box Height</b>  | 3.1 "  |
| <b>Product Length/Depth</b>  | 10.2 "   |
| <b>Product Width</b>   | 1.2 "  |
| <b>Product Height</b>  | 5.1 "  |
| <b>Net Weight</b>  | 0.1587 lbs   |
| <b>Weight cardboard (Recycling symbol "20" PAP)</b>                            | 0.05 lbs   |
| <b>Total Tare Weight</b>   | 0.05 lbs   |
| <b>Gross Weight</b>  | 0.2116 lbs   |
| <b>Cubic Feet</b>  | 0.0358 ft <sup>3</sup>   |
| <b>Max. cleaning temperature (Dishwasher)</b>                                  | 199.4 °F   |
| <b>Min. usage temperature</b>  | -4 °F  |
| <b>Min. pH-value in usage concentration</b>                                    | 2 pH   |
| <b>Max. pH-value in Usage Concentration</b>                                    | 10.5 pH  |
| <b>GTIN-13 Number</b>  | 5705022041899  |
| <b>GTIN-14 Number (Box quantity)</b>   | 15705028041906   |
| <b>Customs Tariff Number</b>   | 96039091   |
| <b>UNSPSC Code</b>   | 47121812   |
| <b>Country of Origin ISO Code</b>  | DK   |
| <b>Country of Origin</b>   | Denmark  |

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its

intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.