

77146

Hygienic Floor Squeegee w/replacement cassette, 23.6", Yellow



Designed for areas where both high levels of hygiene and effective water removal are required, this squeegee can be used on all types of surfaces, including tiled and safety flooring. The cassette can be removed easily for cleaning or replacement (Series 7734 for replacement blades).

Technical Data

Item Number	77146
Connection	Threaded
Material	Polypropylene TPE Rubber
Recycling Symbol "7", Miscellaneous Plastics	Yes
Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA Regulation CFR 21 ¹	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Meets the REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
Complies with Halal and Kosher	Yes
PFAS intentionally added	No
Pat. Pending/Patent No.	EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x approx.180 cm)	280 Pcs.
Quantity Per Layer (Pallet)	40 Pcs.
Box Length/Depth	24 "
Box Width	11.4 "
Box Height	7.9 "
Product Length/Depth	23.6 "
Product Width	3.1 "
Product Height	4.3 "
Net Weight	0.7937 lbs
Plastic Packaging (Recycling Symbol "4") LDPE	0.2 lbs
Cardboard Packaging (Recycling symbol "20" PAP)	0.08 lbs
Total Tare Weight	0.28 lbs
Gross Weight	1.0732 lbs
Cubic Feet	0.1866 ft3
Recommended sterilisation temperature (Autoclave)	249.8 °F
Max. cleaning temperature (Dishwasher)	199.4 °F
Max usage temperature (food contact)	122 °F
Max usage temperature (non food contact)	212 °F
Min. usage temperature	-4 °F
Max. drying temperature	248 °F

Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020771460
GTIN-14 Number (Box quantity)	15705020771467
Customs Tariff Number	96039099
UNSPSC Code	47121812
Country of Origin ISO Code	DK
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact
3. Do not store the product below 32 °Fahrenheit.