

77539

Floor squeegee  
w/Replacement Cassette,  
19.7", Black



Ideal for removing water and food debris from all types of flooring, this double-bladed cell rubber squeegee can be used with any Vikan handle. The cassette can be removed easily for cleaning or replacement (Series 77735 or 77739 for replacement blades).

# Technical Data

Item Number	77539
Connection	Threaded
Material	Polypropylene Cellular rubber
Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	No
Complies with FDA Regulation CFR 21 <sup>1</sup>	No
Complies with UK 2019 No. 704 on food contact materials	No
Meets the REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	No
Complies with Halal and Kosher	Yes
PFAS intentionally added	No
Pat. Pending/Patent No.	EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x approx.180 cm)	480 Pcs.
Quantity Per Layer (Pallet)	60 Pcs.
Box Length/Depth	20.1 "
Box Width	11.6 "
Box Height	8.3 "
Product Length/Depth	19.7 "
Product Width	2.8 "
Product Height	4.5 "
Net Weight	0.5511 lbs
Weight bag (Recycling Symbol "4") LDPE	0.02 lbs
Weight cardboard (Recycling symbol "20" PAP)	0.06 lbs
Total Tare Weight	0.08 lbs
Gross Weight	0.6279 lbs
Cubic Feet	0.1422 ft <sup>3</sup>
Max. cleaning temperature (Dishwasher)	176 °F
Max usage temperature (non food contact)	176 °F
Min. usage temperature	-4 °F
Max. drying temperature	158 °F
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020775390
GTIN-14 Number (Box quantity)	15705020775397
Customs Tariff Number	96039099

<b>UNSPSC Code</b>	47121812
<b>Country of Origin ISO Code</b>	DK
<b>Country of Origin</b>	Denmark

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 32 °Fahrenheit.