

93363

# Hot Water Hose, 1/2" (Q), 15000 mm, Blue



This Hot Water Hose is ideal for cleaning with water up to 70° C. It is equipped with a 1/2" Q-coupling in both hose ends. Water tap nipple, 880700 is included for 1/2", 3/4" and M22x1 screw thread types. Can be used with the following Vikan Q-nipple 880700, 880705 and 880712 as well as other Vikan products equipped with a 1/2" Q-nipple.

# Technical Data

|   |                           |
|---|---------------------------|
| Item Number   | 93363                     |
| Couplings Size  | 1/2 "                     |
| Hose Length   | 15000 mm                  |
| Material  | PVC Chromium-plated brass |
| Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>     | No                        |
| Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice | No                        |
| Complies with FDA Regulation CFR 21 <sup>1</sup>                        | No                        |
| Complies with UK 2019 No. 704 on food contact materials                 | No                        |
| Complies with REACH Regulation (EC) No. 1907/2006                       | Yes                       |
| Complies with California Proposition 65                                 | No                        |
| Complies with Halal and Kosher  | Yes                       |
| Box Quantity  | 1 Pcs.                    |
| Quantity per Pallet (80 x 120 x approx.180 cm)                          | 54 Pcs                    |
| Quantity Per Layer (Pallet)   | 6 Pcs.                    |
| Box Length/Depth  | 360 mm                    |
| Box Width   | 350 mm                    |
| Box Height  | 110 mm                    |
| Product Length/Depth  | 360 mm                    |
| Product Width   | 350 mm                    |
| Product Height  | 110 mm                    |
| Net Weight  | 3.85 kg                   |
| Weight bag (Recycling Symbol "4")                                       | 0.02 kg                   |
| Total Tare Weight   | 0.02 kg                   |
| Gross Weight  | 3.87 kg                   |
| Cubic metre   | 0.01386 M3                |
| Max. cleaning temperature (Dishwasher)                                  | 70 °C                     |
| Max usage temperature (non food contact)                                | 70 °C                     |
| Min. usage temperature <sup>3</sup>                                     | 5 °C                      |
| Min. pH-value in usage concentration                                    | 2 pH                      |
| Max. pH-value in Usage Concentration                                    | 11 pH                     |
| Max. bars pressure  | 20 Bar                    |
| GTIN-13 Number  | 5705020933639             |
| Customs Tariff Number   | 39173300                  |
| Country of Origin ISO Code  | FR                        |
| Country of Origin   | France                    |

The hose coupling on the hose and foaming gun have to be greased regularly to maintain the coupling ability on the equipment. The grease applied during mounting will be rinsed away by the water flow and thus needs to be renewed.