

Colour Coding Rubber Band x 5

1.6", Gray



Item Number: 980288

Vikan rubber bands are the hygienic solution for secondary colour coding of cleaning equipment. The convenient bands fit shovels and vacuum cleaner nozzles.

General Information

| | |
|-----------------------------------|-----------------|
| Color | Gray |
| Material | Silicone rubber |
| Country of Origin ISO Code | CN |
| Country of Origin | China |

Product Dimensions

| | |
|-------------------|---------|
| Net Weight | 0.02 kg |
|-------------------|---------|

Packaging & Shipping Details

| | |
|---|---------------|
| Box Quantity | 1 Pcs. |
| Quantity per Pallet (80 x 120 x approx.180 cm) | 14000 Pcs. |
| Quantity Per Layer (Pallet) | 1 Pcs. |
| Box Length/Depth | 100 mm |
| Box Width | 60 mm |
| Box Height | 40 mm |
| Plastic Packaging (Recycling Symbol "4") LDPE per Pcs. | 0.002 kg |
| Cardboard Packaging (Recycling symbol "20" PAP) per Pcs. | 0 kg |
| Total Tare Weight | 0.002 kg |
| Gross Weight | 0.02 kg |
| GTIN-13 Number | 5705022015067 |
| Customs Tariff Number | 40070000 |

Compliance & Standard Details

| | |
|--|-----|
| Complies with (EC) 1935/2004 on food contact materials¹ | No |
| Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice | Yes |
| Complies with FDA Regulation CFR 21¹ | Yes |
| Complies with UK 2019 No. 704 on food contact materials | No |
| Meets the REACH Regulation (EC) No. 1907/2006 | Yes |



Item Number: 980288

| | |
|---|-----|
| Complies with California Proposition 65 | Yes |
| Complies with Halal and Kosher | Yes |
| PFAS intentionally added | No |

Technical Data

| | |
|------------------|-------|
| Product Diameter | 40 mm |
|------------------|-------|

Usage Limits

| | |
|---|---------|
| Recommended sterilisation temperature (Autoclave) | 121 °F |
| Max. cleaning temperature (Dishwasher) | 93 °C |
| Max. usage temperature (for food contact) | 100 °C |
| Max usage temperature (non food contact) | 200 °C |
| Min. usage temperature ³ | -20 °C |
| Min. pH-value in usage concentration | 2 pH |
| Max. pH-value in Usage Concentration | 10.5 pH |

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

