

29114

Scraper with flexible steel blade, 260 mm, Red



Ideal for cleaning powder towers and other surfaces where extra force is needed to loosen dirt, this scraper has rounded edges and a flexible steel blade to protect surfaces from scratching. It can be used with any Vikan handle.

Technical Data

Item Number	29114
Blade Thickness	0,5 mm
Material	Polypropylene Stainless Steel (AISI 304)
Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
FDA compliant raw material (CFR 21)	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Meets the REACH Regulation (EC) No. 1907/2006	Yes
Use of phthalates and bisphenol A	No
Is Halal and Kosher compliant	Yes
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x 200 cm)	800 Pcs.
Quantity Per Layer (Pallet)	80 Pcs.
Box Length	320 mm
Box Width	270 mm
Box Height	135 mm
Length/Depth	260 mm
Width	32 mm
Height	175 mm
Net Weight	0,15 kg
Weight cardboard	0,03 kg
Tare total	0,03 kg
Gross Weight	0,18 kg
Cubik metre	0,001456 M3
Recommended sterilisation temperature (Autoclave)	121 °C
Max. cleaning temperature (Dishwasher)	93 °C
Max. usage temperature (for food contact)	170 °C
Max usage temperature (non food contact)	170 °C
Min. usage temperature ³	-20 °C
Max. drying temperature	120 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10,5 pH
GTIN-13 Number	5705022019812
GTIN-14 Number (Box quantity)	15705028019806
Customs Tariff No.	82159910

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact
3. Do not store the product below 0° Celsius.