

2973Q3



Aluminium Telescopic Water fed Handle with metal coupling (Q), 62.99 - 109.45", Ø1.26, Blue



Ergonomically designed to improve the user's working position, this water-fed telescopic handle with quick-release coupling hose and comfortable grip is easy to adjust to the required length. Fits any water-fed Vikan product including the condensation squeegee (7716x).. Maximum pressure, 6 bars. Maximum water temperature, 50 °C. Do not use with acid or chlorine.

Technical Data

Item Number	2973Q3
Material	Anodised Aluminium Polypropylene Chromium-plated brass
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
FDA-compliant raw material (CFR 21)	Yes
Meets the REACH Regulation (EC) No. 1907/2006	Yes **
SCIP number	e49c50b5-7653-429c-b8f3-803d37b5fefc
Use of phthalates and bisphenol A	No
Is Halal and Kosher compliant	Yes
Box Quantity	5 Pcs.
Quantity per Pallet (80 x 120 x 200 cm)	480 Pcs.
Quantity Per Layer (Pallet)	25 Pcs.
Product diameter	1,26 "
Length	62,99 "
Width	1,26 "
Height	1,26 "
Max. Length	109,45 "
Net Weight	2,1164 lbs
Tare Cardboard	0,15 lbs
Tare Total	0,15 lbs
Gross Weight	2,2707 lbs
Cubic Feet	0,0579 ft3
Recommended sterilisation temperature (Autoclave)	249,8 °F
Max. cleaning temperature (Dishwasher)	199,4 °F
Max usage temperature (food contact)	176 °F
Max usage temperature (non food contact)	176 °F
Min. usage temperature	-4 °F
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	8 pH
Max. bars pressure	6 Bar
GTIN-13 Number	5705022973305
GTIN-14 Number (Box quantity)	15705022973302
Customs Tariff No.	76082020
Country of Origin	Denmark
Box length	64,96 "

Box Width	5,51 "
Box Height	3,35 "

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

** Lead (Pb, CAS: 7439-92-1) is on the REACH candidate list as a Substance of Very High Concern (SVHC). This product contains lead (Pb) in a concentration above 0.1% w/w. Consequently the REACH Regulation (EC) No. 1907/2006 require Vikan to notify our customers of the content of lead. This product is registered in the EU SCIP database. Please find SCIP number above.

3. Do not store the product below 32 °Fahrenheit.